ELSEVIER

European Journal of Pharmacology 256 (1994) 343–345

ejp

Author index

Abe, K., see Chu, P.-j. (256) 155
Advenier, C., see Naline, E. (256) 301
Altenburg, S.P., Bozza, P.T., Martins, M.A., Tibiriçá, E.V., Silva, P.M.R., Cordeiro, R.S.B. and Castro-Faria-Neto, H.C.
Adrenergic modulation of the blood neutrophilia induced by platelet activating factor in rats (256) 45
Amico-Roxas, M., see Clementi, G. (256) R7
Antonaccio, M.J. and Normandin, D.
Role of Ca^{2+} in the vascular contraction caused by a thrombin receptor activating peptide (256) 37
Antonaccio, M.J., Normandin, D. and Ferrer, P.
Reduced contractile function after balloon denudation of rat carotid arteries (256) 17
Arankowsky-Sandoval, G., see Ragozzino, M.E. (256) 31
Armstrong, J.M., see Bellemin-Baurreau, J. (256) 115

Barnett, A., see Coffin, V. (256) R9
Battaglia, G., see Bruno, V. (256) 109
Bellemin-Baurreau, J., Poizot, A., Hicks, P.E., Rochette, L. and Armstrong, J.M.
Effects of ATP-dependent K^+ channel modulators on an ischemia-reperfusion rabbit isolated heart model with programmed electrical stimulation (256) 115
Belt, J.J., see Fedan, J.S. (256) 51
Blier, P., see Mongeau, R. (256) 269
Block, F. and Schwarz, M.
The depressant effect of GYKI 52466 on spinal reflex transmission in rats is mediated via non-NMDA and benzodiazepine receptors (256) 149
Boadle-Biber, M.C., see Singh, V.B. (256) 177
Bozza, P.T., see Altenburg, S.P. (256) 45
Bruno, V., Copani, A., Battaglia, G., Raffaele, R., Shinozaki, H. and Nicoletti, F.
Protective effect of the metabotropic glutamate receptor agonist, DCG-IV, against excitotoxic neuronal death (256) 109

Calder, J.A., Schachter, M. and Sever, P.S.
Vasorelaxant actions of 5-OH-indapamide, a major metabolite of indapamide: comparison with indapamide, hydrochlorothiazide and cicletanine (256) 185
Candenas, M.-L., see Naline, E. (256) 301
Carreau, A., Duval, D., Poignet, H., Scatton, B., Vigé, X. and Nowicki, J.-P.
Neuroprotective efficacy of N^{ω}-nitro-L-arginine after focal cerebral ischemia in the mouse and inhibition of cortical nitric oxide synthase (256) 241
Carter, M.F., see Von Lubitz, D.K.J.E. (256) 161
Caruso, A., see Clementi, G. (256) R7
Castro-Faria-Neto, H.C., see Altenburg, S.P. (256) 45
Catalioto, R.-M., Renzetti, A.-R., Criscuoli, M., Mizrahi, J. and Subissi, A.
Angiotensins induce the release of prostacyclin from rabbit vas deferens: evidence for receptor heterogeneity (256) 93
Chandel, B., see Deshpande, Y. (256) R1
Chen, C.-Y., see Tao, P.-L. (256) 281

Cho, C.H., Mei, Q.B. and Kaan, S.K.
The intraperitoneal effects of 5-hydroxytryptamine on haemodynamics, gastric mucosal blood flow and platelet aggregation (256) 9
Chrétien, L., Guillemette, G. and Regoli, D.
Non-peptide angiotensin receptor antagonists bind to tachykinin NK_3 receptors of rat and guinea pig brain (256) 73
Chu, P.-j., Shirahata, A., Samejima, K., Saito, H. and Abe, K.
N-(3-Aminopropyl)-cyclohexylamine blocks facilitation by spermidine of *N*-methyl-DL-aspartate-induced seizure in mice in vivo (256) 155
Clementi, G., Caruso, A., Prato, A., De Bernardis, E., Fiore, C.E. and Amico-Roxas, M.
A role for nitric oxide in the anti-ulcer activity of calcitonin gene-related peptide (256) R7
Coffin, V., Cohen-Williams, M. and Barnett, A.
Selective antagonism of the anticonvulsant effects of felbamate by glycine (256) R9
Cohen-Williams, M., see Coffin, V. (256) R9
Coimbra, C., see Plourde, V. (256) 125
Copani, A., see Bruno, V. (256) 109
Cordeiro, R.S.B., see Altenburg, S.P. (256) 45
Corder, R., see Wellings, R.P. (256) 201
Corley, K.C., see Singh, V.B. (256) 177
Criscuoli, M., see Catalioto, R.-M. (256) 93

De Bernardis, E., see Clementi, G. (256) R7
De Montigny, C., see Mongeau, R. (256) 269
Deshpande, Y., Longo, W.E., Chandel, B., Niehoff, M., Robinson, S., Polities, G., Vernava, A.M. and Kaminski, D.L.
Effect of platelet-activating factor and its antagonists on colonic dysmotility and tissue levels of colonic neuropeptides (256) R1
Do Carmo, L.G., see Jurkiewicz, A. (256) 329
Doherty, A.M., see Wellings, R.P. (256) 201
Duval, D., see Carreau, A. (256) 241

Emoto, H., see Yokoo, H. (256) 335

Fedan, J.S., Yuan, L.-X., Belt, J.J. and Frazer, D.G.
Polarized effects of amiloride and 4,4′-diisothiocyano-stilbene-2,2′-disulfonic acid on ATP-induced contraction of trachea (256) 51
Ferrer, P., see Antonaccio, M.J. (256) 17
Fiore, C.E., see Clementi, G. (256) R7
Frazer, D.G., see Fedan, J.S. (256) 51
Friderichs, E., see Selve, N. (256) 287
Fukao, M., see Hattori, Y. (256) 215
Fuxe, K., see Morari, M. (256) 23

Gando, S., see Hattori, Y. (256) 215
Gobaille, S., see Maitre, M. (256) 211
Gold, P.E., see Ragozzino, M.E. (256) 31
Grbović, L., see Jovanović, A. (256) 103
Grbović, L., see Jovanović, A. (256) 131

Greenlees, C., see Medhurst, A.D. (256) R5
Grupp, L.A., see Saab, G. (256) 1
Guillemette, G., see Chrétien, L. (256) 73

Hara, H., see Harada, Y. (256) 321
Harada, Y., Hara, H. and Sukamoto, T.
Receptor binding profiles of KB-5492, a novel anti-ulcer agent, at σ receptors in guinea-pig brain (256) 321
Harding, S., see Saab, G. (256) 1
Hattori, Y., Kawasaki, H., Kanno, M., Gando, S. and Fukao, M.
Attenuated contractile response of diabetic rat aorta to caffeine but not to noradrenaline in Ca^{2+}-free medium (256) 215
Hauber, W. and Waldenmeier, M.T.
The AMPA receptor antagonist GYKI 52466 reverses the anticataleptic effects of the competitive NMDA receptor antagonist CGP 37849 (256) 339
Hechler, V., see Maitre, M. (256) 211
Hicks, P.E., see Bellemin-Baurreau, J. (256) 115
Hirabayashi, A., Nishiwaki, K., Taki, K., Shimada, Y. and Ishikawa, N.
Effects of neuropeptide Y on lung vascular permeability in the pulmonary circulation of rats (256) 227
Hirai, H. and Okada, Y.
Adenosine facilitates glutamate release in a protein kinase-dependent manner in superior colliculus slices (256) 65
Hodé, Y., see Maitre, M. (256) 211
Hwang, C.-L., see Tao, P.-L. (256) 281

Ingenito, A.J., see Wang, J.Q. (256) 57
Ishii, H., see Yokoo, H. (256) 335
Ishikawa, M., see Yokoo, H. (256) 335
Ishikawa, N., see Hirabayashi, A. (256) 227
Ito, S., see Kitamura, N. (256) 169

Jacobson, K.A., see Von Lubitz, D.K.J.E. (256) 161
Ji, X.-d., see Von Lubitz, D.K.J.E. (256) 161
Jovanović, A., Grbović, L. and Tulić, I.
L-Arginine induces relaxation of human uterine artery with both intact and denuded endothelium (256) 103
Jovanović, A., Grbović, L. and Tulić, I.
Endothelium-dependent relaxation in response to acetylcholine in the human uterine artery (256) 131
Jurkiewicz, A., Lafayette, S.S., Nunes, S.H., Martini, L.C., Do Carmo, L.G., Wanderley, A.G. and Jurkiewicz, N.H.
Decreased density of binding sites for the Ca^{2+} channel antagonist [^{3}H]isradipine after denervation of rat vas deferens (256) 329
Jurkiewicz, N.H., see Jurkiewicz, A. (256) 329

Kaan, S.K., see Cho, C.H. (256) 9
Kaiser, L., see Lamb, V.L. (256) 221
Kaminski, D.L., see Deshpande, Y. (256) R1
Kanda, T., Shiozaki, S., Shimada, J., Suzuki, F. and Nakamura, J.
KF17837: a novel selective adenosine A_{2A} receptor antagonist with anticataleptic activity (256) 263
Kanno, M., see Hattori, Y. (256) 215
Kawasaki, H., see Hattori, Y. (256) 215
Kitamura, N., Ohta, T., Ito, S. and Nakazato, Y.
Effects of nifedipine and Bay K 8644 on contractile activities in single skeletal muscle fibers of the frog (256) 169
Ko, F.-N., see Yu, S.-M. (256) 85
Koga, C., see Yokoo, H. (256) 335
Krieg, R.J., see Singh, V.B. (256) 177
Kurasaki, N., see Yokoo, H. (256) 335
Kuribara, H.
Early post-treatment with haloperidol retards induction of methamphetamine sensitization in mice (256) 295

Lafayette, S.S., see Jurkiewicz, A. (256) 329
Lamb, V.L., Schwartz, A.J., Rohn, W.R. and Kaiser, L.
Cyclooxygenase inhibitors depress norepinephrine constriction of rat abdominal, but not thoracic, aorta (256) 221
Lee, J.-Y., see Yu, S.-M. (256) 85
Levi, R., see Park, K.H. (256) 99
Lin, R.C.-S., see Von Lubitz, D.K.J.E. (256) 161
Longo, W.E., see Deshpande, Y. (256) R1

MacLeod, K.M., see Ray, A. (256) 311
Maitre, M., Ratomponirina, C., Gobaille, S., Hodé, Y. and Hechler, V.
Displacement of [^{3}H]γ-hydroxybutyrate binding by benzamide neuroleptics and prochlorperazine but not by other antipsychotics (256) 211
Malmberg, A.B. and Yaksh, T.L.
Antinociception produced by spinal delivery of the *S* and *R* enantiomers of flurbiprofen in the formalin test (256) 205
Martin, J.-D., see Naline, E. (256) 301
Martini, L.C., see Jurkiewicz, A. (256) 329
Martins, M.A., see Altenburg, S.P. (256) 45
Matsui, M., see Yokoo, H. (256) 335
Medhurst, A.D., Greenlees, C., Parsons, A.A. and Smith, S.J.
Nitric oxide synthase inhibitors 7- and 6-nitroindazole relax smooth muscle in vitro (256) R5
Mei, Q.B., see Cho, C.H. (256) 9
Melman, N., see Von Lubitz, D.K.J.E. (256) 161
Mizoguchi, K., see Yokoo, H. (256) 335
Mizrahi, J., see Catalioto, R.-M. (256) 93
Mongeau, R., De Montigny, C. and Blier, P.
Activation of 5-HT_3 receptors enhances the electrically evoked release of [^{3}H]noradrenaline in rat brain limbic structures (256) 269
Morari, M., O'Connor, W.T., Ungerstedt, U. and Fuxe, K.
Dopamine D_1 and D_2 receptor antagonism differentially modulates stimulation of striatal neurotransmitter levels by *N*-methyl-D-aspartic acid (256) 23
Moreau, J., see Naline, E. (256) 301
Mos, J., see Ybema, C.E. (256) 141

Nakamura, J., see Kanda, T. (256) 263
Nakazato, Y., see Kitamura, N. (256) 169
Naline, E., Candenas, M.-L., Palette, C., Moreau, J., Norte, M., Martin, J.-D., Pays, M. and Advenier, C.
Effects of okadaic acid on the human isolated bronchus (256) 301
Nicoletti, F., see Bruno, V. (256) 109
Niehoff, M., see Deshpande, Y. (256) R1
Nishiwaki, K., see Hirabayashi, A. (256) 227
Normandin, D., see Antonaccio, M.J. (256) 17
Normandin, D., see Antonaccio, M.J. (256) 37
Norte, M., see Naline, E. (256) 301
Nowicki, J.-P., see Carreau, A. (256) 241
Nunes, S.H., see Jurkiewicz, A. (256) 329

O'Connor, W.T., see Morari, M. (256) 23
Ohta, T., see Kitamura, N. (256) 169
Okada, Y., see Hirai, H. (256) 65
Okamura, T. and Toda, N.
Inhibition by calmodulin antagonists of the neurogenic relaxation in cerebral arteries (256) 79
Olivier, B., see Ybema, C.E. (256) 141

Palette, C., see Naline, E. (256) 301
Park, K.H. and Levi, R.
Hypoxic coronary vasodilatation and cGMP overproduction are blocked by a nitric oxide synthase inhibitor, but not by a guanylyl cyclase ANF receptor antagonist (256) 99

Parsons, A.A., see Medhurst, A.D. (256) R5
Pays, M., see Naline, E. (256) 301
Phan, T.-H., see Singh, V.B. (256) 177
Plourde, V., Quintero, E., Suto, G., Coimbra, C. and Taché, Y.
Delayed gastric emptying induced by inhibitors of nitric oxide synthase in rats (256) 125
Poignet, H., see Carreau, A. (256) 241
Poizot, A., see Bellemin-Baurreau, J. (256) 115
Polities, G., see Deshpande, Y. (256) R1
Prato, A., see Clementi, G. (256) R7

Quintero, E., see Plourde, V. (256) 125

Raffaele, R., see Bruno, V. (256) 109
Ragozzino, M.E., Arankowsky-Sandoval, G. and Gold, P.E.
Glucose attenuates the effect of combined muscarinic-nicotinic receptor blockade on spontaneous alternation (256) 31
Ratomponirina, C., see Maitre, M. (256) 211
Ray, A. and MacLeod, K.M.
Effect of carbachol in the absence and presence of phenylephrine on Rb^+ efflux and tension in rabbit left atria (256) 311
Regoli, D., see Chrétien, L. (256) 73
Reimann, W., see Selve, N. (256) 287
Reinartz, S., see Selve, N. (256) 287
Renzetti, A.-R., see Catalioto, R.-M. (256) 93
Robertson, J.M., see Saab, G. (256) 1
Robinson, S., see Deshpande, Y. (256) R1
Rochette, L., see Bellemin-Baurreau, J. (256) 115
Rohn, W.R., see Lamb, V.L. (256) 221
Ruskoaho, H., see Taskinen, P. (256) 251

Saab, G., Robertson, J.M., Harding, S. and Grupp, L.A.
Adrenalectomy does not modify the suppressive effect of angiotensin II on voluntary ethanol drinking in rats (256) 1
Saito, H., see Chu, P.-j. (256) 155
Samejima, K., see Chu, P.-j. (256) 155
Scatton, B., see Carreau, A. (256) 241
Schachter, M., see Calder, J.A. (256) 185
Schwartz, A.J., see Lamb, V.L. (256) 221
Schwarz, M., see Block, F. (256) 149
Selve, N., Friderichs, E., Reimann, W. and Reinartz, S.
Absence of emetic effects of morphine and loperamide in *Suncus murinus* (256) 287
Sever, P.S., see Calder, J.A. (256) 185
Shafaghi, B., see Zarrindast, M.R. (256) 233
Shimada, J., see Kanda, T. (256) 263
Shimada, Y., see Hirabayashi, A. (256) 227
Shinozaki, H., see Bruno, V. (256) 109
Shiozaki, S., see Kanda, T. (256) 263
Shirahata, A., see Chu, P.-j. (256) 155
Silva, P.M.R., see Altenburg, S.P. (256) 45
Singh, V.B., Corley, K.C., Krieg, R.J., Phan, T.-H. and Boadle-Biber, M.C.
Sound stress activation of tryptophan hydroxylase blocked by hypophysectomy and intracranial RU 38486 (256) 177
Slangen, J.L., see Ybema, C.E. (256) 141
Smith, S.J., see Medhurst, A.D. (256) R5
Subissi, A., see Catalioto, R.-M. (256) 93
Sukamoto, T., see Harada, Y. (256) 321
Suto, G., see Plourde, V. (256) 125
Suzuki, F., see Kanda, T. (256) 263

Taché, Y., see Plourde, V. (256) 125
Taki, K., see Hirabayashi, A. (256) 227
Tanaka, M., see Yokoo, H. (256) 335
Tanaka, T., see Yokoo, H. (256) 335
Tao, P.-L., Hwang, C.-L. and Chen, C.-Y.
U-50,488 blocks the development of morphine tolerance and dependence at a very low dose in guinea pigs (256) 281
Taskinen, P., Tóth, M. and Ruskoaho, H.
Effects of genistein on cardiac contractile force and atrial natriuretic peptide secretion in the isolated perfused rat heart (256) 251
Teng, C.-M., see Yu, S.-M. (256) 85
Tibiriçá, E.V., see Altenburg, S.P. (256) 45
Toda, N., see Okamura, T. (256) 79
Tóth, M., see Taskinen, P. (256) 251
Tseng, C.-J., see Tung, C.-S. (256) 193
Tulić, I., see Jovanović, A. (256) 103
Tulić, I., see Jovanović, A. (256) 131
Tulp, M.Th.M., see Ybema, C.E. (256) 141
Tung, C.-S., Wu, W.-H., Tseng, C.-J. and Yin, T.-H.
Effects of amperozide on schedule-induced polydipsia in rats (256) 193

Ungerstedt, U., see Morari, M. (256) 23

Vane, J.R., see Wellings, R.P. (256) 201
Vernava, A.M., see Deshpande, Y. (256) R1
Vigé, X., see Carreau, A. (256) 241
Von Lubitz, D.K.J.E., Lin, R.C.-S., Melman, N., Ji, X.-d., Carter, M.F. and Jacobson, K.A.
Chronic administration of selective adenosine A_1 receptor agonist or antagonist in cerebral ischemia (256) 161

Waldenmeier, M.T., see Hauber, W. (256) 339
Wanderley, A.G., see Jurkiewicz, A. (256) 329
Wang, J.Q. and Ingenito, A.J.
Cardiovascular responses to intra-hippocampal dynorphin A-(1–8) in spontaneously hypertensive rats (256) 57
Wellings, R.P., Corder, R., Doherty, A.M. and Vane, J.R.
Antagonism of renal and systemic responses to endothelin-1 infusion with PD 145065 (256) 201
Wu, T.-S., see Yu, S.-M. (256) 85
Wu, W.-H., see Tung, C.-S. (256) 193

Yaksh, T.L., see Malmberg, A.B. (256) 205
Yamada, S., see Yokoo, H. (256) 335
Ybema, C.E., Olivier, B., Mos, J., Tulp, M.Th.M. and Slangen, J.L.
Adrenoceptors and dopamine receptors are not involved in the discriminative stimulus effect of the $5\text{-}HT_{1A}$ receptor agonist flesinoxan (256) 141
Yin, T.-H., see Tung, C.-S. (256) 193
Yokoo, H., Yamada, S., Yoshida, M., Tanaka, T., Mizoguchi, K., Emoto, H., Koga, C., Ishii, H., Ishikawa, M., Kurasaki, N., Matsui, M. and Tanaka, M.
Effect of opioid peptides on dopamine release from nucleus accumbens after repeated treatment with methamphetamine (256) 335
Yoshida, M., see Yokoo, H. (256) 335
Yu, S.-M., Ko, F.-N., Wu, T.-S., Lee, J.-Y. and Teng, C.-M.
Cinnamophilin, a novel thromboxane A_2 receptor antagonist, isolated from *Cinnamomum philippinense* (256) 85
Yuan, L.-X., see Fedan, J.S. (256) 51

Zarrindast, M.R. and Shafaghi, B.
Effects of adenosine receptor agonists and antagonists on acquisition of passive avoidance learning (256) 233